



MONGE VETSOLUTION RENAL AND OXALATE FELINE is a complete dietetic petfood for cats formulated for the support of renal function in the case of chronic or temporary renal insufficiency. It is also formulated for the reduction of oxalate stones formation. Contains Nucleotides to support immune system, Green tea for renal support, Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by low level of protein but high quality and restricted levels of phosphorus, low level of calcium, low level of vitamin D, and urine alkalisng properties.

COMPOSITION:

Chicken liver (10%), dried eggs (6%), tapioca, animal fat (pork fat purified at 99.5%), fish oil (salmon oil purified at 99.5%), brewers' yeast, pork meat, dried peas, salmon, hydrolysed animal proteins, minerals, hydrolysed yeasts 1% (of which free nucleotides 44%), pea fiber, xylo-oligosaccharide (0.4%), dried green tea leaves (0.05%). Protein sources: eggs and chicken liver with digestibility higher than 85%.

ANALYTICAL CONSTITUENTS:

Crude protein: 6.8% - Crude Fibre: 0.4% - Crude fat: 7.3% - Crude ash: 2.5% - Moisture: 75.4% - Calcium: 0.25% - Phosphorus: 0.09% - Sodium: 0.08% - Magnesium: 0.02% - Potassium: 0.17% - Chlorides: 0.35% - Sulphur: 0.01% - Total Vitamin D: 232 IU/kg: - Hydroxyproline: 0% - n-3 fatty acids: 0.3% - n-6 fatty acids: 1.4%. Urine alkalisng substance: potassium citrate 0,2%. Metabolisable energy: 1260 kcal/kg.

ADDITIVES/kg:

NUTRITIONAL ADDITIVES:

Vitamin D3 225 IU, Vitamin E (all-rac-alpha-tocopheryl-acetate) 50 mg, Selenium (Sodium selenite 0.04 mg/kg) 0.02 mg, Manganese (manganous sulphate monohydrate 13 mg/kg) 4.3 mg, Zinc (Zinc oxide 26 mg/kg) 21 mg, Copper (Copper (II) sulphate pentahydrate 6.7 mg/kg) 1.7 mg, Iron (Iron (II) sulphate monohydrate 21 mg/kg) 7 mg, Iodine (Calcium iodate anhydrous 1.8 mg/kg) 0.9 mg, L-cystine: 600 mg, DL-methionine technically pure: 300 mg, L-Carnitine: 300 mg, Taurine: 200 mg.

FEEDING INSTRUCTIONS:

It is recommended that a veterinarian's opinion be sought before use and before extending the period of use. Water should be available at all times. Recommended length of time for use initially up to 6 months and two to four weeks for temporary renal insufficiency. Recommended daily feeding intakes (see table) may be split into 2 daily meals. To be served at room temperatures. Keep in refrigerator after opening and consume it within 24 hours.

NET QUANTITY:

100g

Recommended daily feeding intakes (grams/daily)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended daily intakes (g/day)									
Silhouette Thin	108	142	173	200	226	251	274	298	319
Silhouette Ideal	90	119	144	167	189	209	228	248	266
Silhouette Heavy	72	95	115	133	151	167	183	198	213

